




*FFR*

Rack systems




Rack for storage of window elements. Stable steel construction. Rack for storage of window sashes. The individual elements are available for direct access. Specially designed for integration in assembly lines. Access is possible from both sides. Supporting surfaces with support rollers for even easier loading and unloading. Compartment separating bars covered with protective tubing.




### Compartments

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



### Supports

Lower storage area with support rollers for easier loading and unloading



### Profile protectors

Profile protectors for support rollers 3x 120 (Alum./48 x), support rollers covered with protective tubing



### Casters, cml.

Two casters with brake and two fixed rollers provide mobility in all directions, roller diameter 125 mm





### MODELS

FFR 10



### DIMENSION AND WEIGHT

Length (mm)	1.820
Width (mm)	1.000
Height (mm)	2.965
Weight (kg)	250

### STORAGE CAPACITY

Compartments	10
Compartment width (mm)	130
Compartment height (mm)	2.600
Load capacity (kg)	800

### CHARACTERISTICS

Floor support equipped with knob profile	<input checked="" type="checkbox"/>
Compartment separating bars covered with protective tubing	<input checked="" type="checkbox"/>
Supporting surface with rollers	<input checked="" type="checkbox"/>
Rollers and handle	<input type="checkbox"/>

Included ● Available ○