

TECHNICAL SHEET

20/04/2024

HT1000

HORIZONTAL ASSEMBLY TABLES



Horizontal table for all work tasks on frames and sashes

- Stable steel construction
- Table supporting surface with plastic slide bars
- Storage tray for setting down tools and accessories
- Adjustable height
- Simple installation with a modular system design

Options

- Also available with brush strips on request
- Also available with felt strips on request (for wooden elements)
- Also available with rubber strips on request (for aluminium elements)
- Roller support
- Tool rack
- 4-fold compressed air supply




elumatec

TECHNICAL SHEET

20/04/2024



Horizontal table -Individual table HT 1000



Supporting surfaces

Supporting surfaces with plastic slide bars



Storage tray

Storage tray for setting down tools and accessories



Height adjustment

Adjustable height; working height can be set to 850 – 1,000 mm by means of adjustable feet



Brush strip

Supporting surfaces with brush strip for HT 1000



Felt strip

Supporting surfaces with felt strip for HT 1000



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14 0 Fax: +49 7041-14 280 mail@elumatec.com www.elumatec.com The right to make technical alterations is reserved.

elumatec

TECHNICAL SHEET

20/04/2024



Rubber strips

Supporting surfaces with rubber-knob profile for aluminium elements



Tool rack

Tool rack for pneumatic or electrical tools




4-fold compressed air connection

4-fold compressed air connection for connecting compressed-air tools



Roller support, cmpl., for HT 1000/PVC

Hard plastic rollers with polyamide coating, on plain bearings, load per roller: 60 kg, convenient for transport and handling of PVC elements



Rubber roller support, cmpl., for HT 1000/Alum.

Plastic rollers with polyurethane coating, on ball bearings, load per roller: 40 kg, convenient for transport and handling of aluminium elements



Pneumatic lifting unit

Lifting unit L = 1,000 mm



Tel +49 7041-14 0 Fax: +49 7041-14 280 mail@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



TECHNICAL SHEET

20/04/2024

HT 1000 / HORIZONTAL ASSEMBLY TABLES

- Length 1,000 mm
- Width 1,300 mm
- Height 850 1,000 mm
- Weight 70 kg