


06/09/2025

HT3000

HORIZONTAL ASSEMBLY TABLES



Horizontal table for all work tasks on frames and sashes

- Stable steel construction
- Assembly table for all work tasks on frames and sashes
- Table supporting surface with plastic slide bars
- Storage tray for setting down tools and accessories
- Adjustable height
- Simple installation with a modular system design

Options

- Also available with brush strips on request
- Also available with felt strips on request (for wooden elements)
- Also available with rubber strips on request (for aluminium elements)
- Roller support
- Tool rack
- 4-fold compressed air supply
- Storage area with six plastic trays




06/09/2025



Horizontal table -Individual table HT 3000



Supporting surfacesSupporting surfaces with plastic slide bars



Storage trayStorage tray for setting down tools and accessories



Height adjustment

Adjustable height; working height can be set to 850 – 1,000 mm by means of adjustable feet



Brush strip

Supporting surfaces with brush strip



Felt strip

Supporting surfaces with felt strip



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.

elumatec


TECHNICAL SHEET

06/09/2025



Rubber strips

Supporting surfaces with rubber-knob profile for aluminium elements



Storage area

Storage area with six plastic trays for small accessories, hardware and screws



Tool rack

Tool rack for pneumatic or electrical tools




4-fold compressed air connection

4-fold compressed air connection for connecting compressed-air tools



Roller support, cmpl. for HT 3000/PVC

Hard plastic rollers with polyamide coating, on plain bearings, load per roller: 60 kg, convenient for transport and handling of PVC elements



Roller support, cmpl., for HT 3000/Alum.

Plastic rollers with polyurethane coating, on ball bearings, load per roller: 40 kg, convenient for transport and handling of aluminium elements



Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



06/09/2025



Pneumatic lifting unit

Lifting unit L = 3,000 mm



06/09/2025

HT 3000 / HORIZONTAL ASSEMBLY TABLES

- Length 3,000 mm
- Width 1,300 mm
- Height 850 1,000 mm
- Weight 120 kg

elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.