
elumatec

a voilàp company

MMS

MANUAL POSITIONING



- For cutting aluminium profiles to length accurately
- For mounting on all single-head saws (right-hand side)
- Stop carriage can be folded back for positioning of profiles
- Automatic retraction unit: No re-cutting by the saw blade (option)
- Patented rail and carriage system
- Length stop and measuring system with sliding stop and difference scale for quick and accurate adjustment

Length variants

- 1.500 mm (only MMS 100)
- 3.000 mm
- 4.500 mm
- 6.000 mm
- Special lengths on request
- Variant for left-hand attachment on request

MMS 100 WITH MANUAL ADJUSTMENT

- Adjustment on stop carriage
- Manual locking

MMS 200 with E 111

See MMS 200, however:

- Digital display E 111

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany


Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com


The right to make technical alterations is reserved.



Stop and measurement system MMS 200



Stop and measurement system MMS 200



Stop and measuring system MMS 200

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.