






### PLW4000

Profile transport trolleys




Trolley for storage and transportation of profiles


- Stable steel construction
- Trolley for transportation and storage of profile bars before and after cutting
- Well-organised storage provides quick access
- Ideal transportation option for curtain wall construction
- The trolley can also be used as a mobile intermediate storage area, for example, before moving onward to the double mitre saw or machining centre
- Profile support arms can be adjusted
- Profile supports with rubber surface
- Four castors, two of which have a fixing brake

**Profile transport trolley  
PLW 4000****Casters**

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling

**Supporting surfaces**

Supporting surfaces clad with rubber protect profiles from damage

**Guards with plastic  
protector**

Vertical guards with plastic protectors protect the profiles from damage and prevent them from slipping off

**Profile support**

Profile supports can be adjusted

**PLW 4000 / PROFILE TRANSPORT TROLLEYS**

- Length 4,000 mm
- Width 800 mm
- Height 900 mm
- Width of the support arms 750 mm
- Height of the guards 270 mm
- Weight 100 kg
- Load 600 kg
- Roller diameter 125 mm



elumatec AG  
Pinacher Straße, 61  
75417 Mühlacker  
Germany

Tel +49 7041-14-184  
[sales@elumatec.com](mailto:sales@elumatec.com)  
[www.elumatec.com](http://www.elumatec.com)

The right to make technical alterations is reserved.