



PWS1400

Profile transport trolleys



Profile trolley for vertical storage and transportation of aluminium profiles

- Stable steel construction
- Ideal for transportation and space-saving intermediate storage of cut-to-length profiles
- Vertical profile transportation
- Sufficient for 30 - 40 profile bars
- Compartment divider height is adjustable
- Lower supporting surface with rubber strips
- Compartment dividers with protective tubing
- Rear back support with rubber strips
- Four castors, two of which have a fixing brake



**Profile transport trolley
PWS 1400**




**Compartment divider
with plastic protector
PWS 1400 / PWS 1800**

Compartment divider height is adjustable.
All supporting surfaces have a non-slip PVC
cladding which protects surfaces from
damage during storage



**Back support with rubber
strips PWS 1400 /
PWS 1800**

Rear supporting surfaces equipped with
rubber strips protect profiles from damage



**Lower supporting
surfaces with rubber
strips PWS 1400 /
PWS 1800**

Lower supporting surfaces equipped with
rubber strips to protect the profiles from
damage



Casters

Four casters, two of which have a fixing
brake, provide a high degree of mobility
and easy, safe handling





PWS 1400 / PROFILE TRANSPORT TROLLEYS

- Length 1,440 mm
- Width 790 mm
- Height 1,360 mm
- Two compartment dividers
- Nine compartments
- Roller diameter 125 mm
- Compartment width 120 mm
- Compartment depth 540 mm
- Unit height 1,150 mm
- Weight 72 kg
- Load 350 kg