




PWS1800

Profile transport trolleys



Profile trolley for vertical storage and transportation of aluminium profiles


- Stable steel construction
- Ideal for transportation and space-saving intermediate storage of cut-to-length profiles
- Vertical profile transportation
- Sufficient for 12 – 60 profile bars
- Compartment divider height is adjustable
- Lower supporting surface with rubber strips
- Compartment dividers with protective tubing
- Rear back support with rubber strips
- Four castors, two of which have a fixing brake

Options

- Height of additional compartment divider is adjustable, with plastic protector



Profile transport trolley PWS 1800




Compartment divider with plastic protector PWS 1400 / PWS 1800

Compartment divider height is adjustable.
All supporting surfaces have a non-slip PVC
cladding which protects surfaces from
damage during storage




Back support with rubber strips PWS 1400 / PWS 1800

Rear supporting surfaces equipped with
rubber strips protect profiles from damage



Lower supporting surfaces with rubber strips PWS 1400 / PWS 1800

Lower supporting surfaces equipped with
rubber strips to protect the profiles from
damage



Casters

Four casters, two of which have a fixing
brake, provide a high degree of mobility
and easy, safe handling



Additional compartment divider PWS 1800

Additional compartment divider with height
adjustment and plastic protector





PWS 1800 / PROFILE TRANSPORT TROLLEYS

- Length 1,880 mm
- Width 800 mm
- Height 1,700 mm
- Two compartment dividers
- Twelve compartments
- Roller diameter 125 mm
- Compartment width 120 mm
- Compartment depth 540 mm
- Unit height 1,500 mm
- Weight 105 kg
- Load 350 kg