




### PWS1800

#### Profile transport trolleys



Profile trolley for vertical storage and transportation of aluminium profiles

- Stable steel construction
- Ideal for transportation and space-saving intermediate storage of cut-to-length profiles
- Vertical profile transportation
- Sufficient for 12 – 60 profile bars
- Compartment divider height is adjustable
- Lower supporting surface with rubber strips
- Compartment dividers with protective tubing
- Rear back support with rubber strips
- Four castors, two of which have a fixing brake

#### Options


- Height of additional compartment divider is adjustable, with plastic protector

**Profile transport trolley  
PWS 1800****Compartment divider  
with plastic protector**

Compartment divider height is adjustable. All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage

**Back support with rubber  
strips**

Rear supporting surfaces equipped with rubber strips protect profiles from damage

**Lower supporting  
surfaces with rubber  
strips**

Lower supporting surfaces equipped with rubber strips to protect the profiles from damage

**Casters**

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling

**Additional compartment  
divider for PWS 1800**

Additional compartment divider with height adjustment and plastic protector

**PWS 1800 / PROFILE TRANSPORT TROLLEYS**

- Length 1,880 mm
- Width 800 mm
- Height 1,700 mm
- Two compartment dividers
- Twelve compartments
- Roller diameter 125 mm
- Compartment width 120 mm
- Compartment depth 540 mm
- Unit height 1,500 mm
- Weight 105 kg
- Load 350 kg