




PWS4000

Profile transport trolleys




Profile trolley for vertical storage and transportation of profiles

- Stable steel construction
- Vertical profile transportation
- Profile trolley can be loaded on both sides
- 18 compartments per side
- Easy loading and unloading
- Sufficient for 120 – 160 profile bars
- Compartment dividers height is adjustable
- Supporting surface with bar grid floor
- Four castors, two of which have a fixing brake

Options


- Plastic protector for PWS 4000

**Profile transport trolley
PWS 4000****Easy loading and
unloading**

Profile trolley with loading on two sides

**Compartment dividers**


Compartment divider height is adjustable,
Compartment width 100 mm, Compartment
depth 400 mm

**Supporting surface**

Supporting surface with bar grid floor

**Casters**

Four casters, two of which have a fixing
brake, provide a high degree of mobility
and easy, safe handling

**Plastic protector**

All supporting surfaces have a non-slip PVC
cladding which protects surfaces from
damage during storage

PWS 4000 / PROFILE TRANSPORT TROLLEYS

- Length 2,230 mm
- Width 1,560 mm
- Height 1,850 mm
- Four compartment dividers
- 36 compartments
- Roller diameter 125 mm
- Compartment width 100 mm
- Compartment depth 400 mm
- Unit height 1,620 mm
- Weight 200 kg
- Load 600 kg