





RF

Commissioning trolleys




Profile trolley for in-house transportation of frames and sashes. Stable steel construction. Trolley with sorting rack for transportation and storage of frames and sashes. Hardwood supporting surface. Compartment dividers for nine frames. Compartment divider height is adjustable. Four swivel castors, two of which with locking stop.




Easy loading and unloading

Direct access to each element



Compartment dividers

Compartment divider height is adjustable, Compartment width 100 mm, Compartment depth 540 mm




Supporting surface

Lower supporting surface made of hardwood



Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Plastic protector


All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage





MODELS

RF 1000



DIMENSION AND WEIGHT

Length (mm)	<input type="radio"/>
Width (mm)	<input type="radio"/>
Height (mm)	<input type="radio"/>
Weight (kg)	<input type="radio"/>

STORAGE CAPACITY

Compartment dividers	<input type="radio"/>
Compartments	<input type="radio"/>
Compartment width (mm)	<input type="radio"/>
Compartment depth (mm)	<input type="radio"/>
Support height (mm)	<input type="radio"/>
Load capacity (kg)	<input type="radio"/>

CHARACTERISTICS

Plastic protection	<input type="radio"/>
Swivel castors	<input type="radio"/>
Swivel castors with locking stop	<input type="radio"/>
Swivel castors diameter (mm)	<input type="radio"/>

Included ● Available ○