



### **SBZ616/02**

Through feed sawing centers



Automatic saw for aluminium profiles

- Loading magazine for up to nine profiles
- Lifting function for cycling the magazine compartments
- In- and outfeed gripper with motorised, continuously adjustable gripper jaw
- Rubberised gripper jaws prevent profile damage
- Hydro-pneumatic saw feed
- Pulsed coolant system
- Outfeed for parts using a belt conveyor, plus lifting function for outfeed of the finished profiles with no impact on the automatic process.

#### **Options**

- Label printer



**Cut-to-length centre SBZ  
616/02**



**Cut-to-length centre SBZ  
616/02**



**Cut-to-length centre SBZ  
616/02**



**Cut-to-length centre SBZ  
616/02**



**Cut-to-length centre SBZ  
616/02**



**Cut-to-length centre SBZ  
616/02**





**Cut-to-length centre SBZ 616/02**



**Cut-to-length centre SBZ 616/02**

Cutting diagram SBZ 616





### SBZ 616/02 / THROUGH FEED SAWING CENTERS

---

- Large saw blade with a diameter of 550 mm
- For cutting range, see cutting diagram
- Saw motor 4 kW
- Continuously adjustable pivoting range with servo drive from  $-22.5^{\circ}$  to  $+22.5^{\circ}$