




### FFR10

#### Rack systems



#### Rack for storage of window elements


- Stable steel construction
- Rack for storage of window sashes
- The individual elements are available for direct access
- Specially designed for integration in assembly lines
- Access is possible from both sides
- Supporting surfaces with support rollers for even easier loading and unloading
- Compartment separating bars covered with protective tubing

#### Options


- Mobile as trolley on request – RFR 10/FFR 10
- Profile protectors for support rollers (alum.)

**Sash rack FFR 10****Compartments**

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage

**Supports**

Lower storage area with support rollers for easier loading and unloading

**Profile protectors**

Profile protectors for support rollers 3x 120 (Alum./48 x), support rollers covered with protective tubing

**Casters, cpl.**

Two casters with brake and two fixed rollers provide mobility in all directions, roller diameter 125 mm

**FFR 10 / RACK SYSTEMS**

- Length 1,820 mm
- Width 1,000 mm
- Height 2,965 mm
- Ten compartments
- Compartment width 130 mm
- Compartment height 2,600 mm
- Weight 250 kg
- Load 800 kg

elumatec AG  
Pinacher Straße, 61  
75417 Mühlacker  
Germany

Tel +49 7041-14-184  
[sales@elumatec.com](mailto:sales@elumatec.com)  
[www.elumatec.com](http://www.elumatec.com)

The right to make technical alterations is reserved.