

15/07/2025

GFW**1200**

GLASS COMPARTMENT/GLAZING BEAD TROLLEYS

- Stable steel construction
- Ideal for sorting glass
- Hardwood supporting surface with felt
- Compartment dividers for 20 sheets of glass
- Compartment dividers height is adjustable
- Four castors, two of which have a fixing brake



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com

elumatec

TECHNICAL SHEET

15/07/2025



Glass transport trolley GFW 1200



Compartment divider with plastic protection

Compartment dividers height is adjustable. All supporting surfaces have a non-slip PVC cladding which protects sheets of glass from damage during storage



Castors

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Easy loading and unloading Well-organised storage provides quick access



Rear support with rubber strips

Rear supporting surfaces equipped with rubber strips protect sheets of glass from damage



Wooden supporting surface with felt

Lower supporting surface covered with felt.Additional plastic strips on the floor



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com

elumatec





Glass transport trolley GFW 1200 With glass panes

elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com



GFW 1200 / GLASS COMPARTMENT/GLAZING BEAD TROLLEYS

- Length 1,200 mm
- Width 1,400 mm
- Height 2,270 mm
- 20 compartments
- Clearance 30 mm
- Weight 210 kg
- Load 800 kg
- Roller diameter 125 mm



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com