


17/09/2025

GLW**30**



GLASS COMPARTMENT/GLAZING BEAD TROLLEYS

Glazing bead trolley for transportation and sorting of glazing beads

- Stable steel construction
- Ideal for vertical transportation and sorting of glazing beads
- Glazing bead trolley with 30 compartments
- 15 compartments per side
- Lower supporting surface clad with rubber
- Four castors, two of which have a fixing brake



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.

elumatec

TECHNICAL SHEET

17/09/2025



Glazing bead trolley GLW 30




Casters Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Compartments

15 compartments per side, 30 compartments in total. Compartment width 75 mm,Compartment depth 65 mm, Rear support height 1,500 mm, Rear support angle: 8°



Lower supporting surface Lower supporting surface clad with rubber



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



GLW 30 / GLASS COMPARTMENT/GLAZING BEAD TROLLEYS

- Length 1,185 mm
- Width 1,000 mm
- Height 1,660 mm
- 30 compartments
- Compartment width 75 mm
- Compartment depth 65 mm
- Weight 80 kg
- Load 350 kg
- Roller diameter 125 mm



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.