




PWS1000

Logistic



Profile trolley for vertical storage and transportation of profiles

- Stable steel construction
- Vertical profile transportation
- Profile trolley with loading on one side
- Easy loading and unloading
- Sufficient for 30-40 profile bars
- Compartment divider height is adjustable
- Supporting surface with bar grid floor
- Four castors, two of which have a fixing brake

Options

- Plastic protector for PWS 1000



**Profile transport trolley
PWS 1000**




**Easy loading and
unloading**

Profile trolley with loading on one side




Compartment dividers

Compartment divider height is adjustable,
Compartment width 100 mm, Compartment
depth 540 mm




Supporting surface

Supporting surface with bar grid floor



Casters

Four casters, two of which have a fixing
brake, provide a high degree of mobility
and easy, safe handling



Plastic protector

All supporting surfaces have a non-slip PVC
cladding which protects surfaces from
damage during storage

PWS 1000 / LOGISTIC

- Length 1,200 mm
- Width 800 mm
- Height 1,360 mm
- Two compartment dividers
- Nine compartments
- Roller diameter 125 mm
- Compartment width 100 mm
- Compartment depth 540 mm
- Unit height 1,150 mm
- Weight 60 kg
- Load 350 kg

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.