




### *PWS4000*

#### PROFILE TRANSPORT TROLLEYS




Profile trolley for vertical storage and transportation of profiles


- Stable steel construction
- Vertical profile transportation
- Profile trolley can be loaded on both sides
- 18 compartments per side
- Easy loading and unloading
- Sufficient for 120 – 160 profile bars
- Compartment dividers height is adjustable
- Supporting surface with bar grid floor
- Four castors, two of which have a fixing brake

#### Options

- Plastic protector for PWS 4000




### Profile transport trolley PWS 4000



### Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling




### Compartment dividers

Compartment divider height is adjustable, Compartment width 100 mm, Compartment depth 400 mm




### Easy loading and unloading

Profile trolley with loading on two sides



### Supporting surface

Supporting surface with bar grid floor



### Plastic protector for PWS 4000

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



### PWS 4000 / PROFILE TRANSPORT TROLLEYS

---

- Length 2,230 mm
- Width 1,560 mm
- Height 1,850 mm
- Four compartment dividers
- 36 compartments
- Roller diameter 125 mm
- Compartment width 100 mm
- Compartment depth 400 mm
- Unit height 1,620 mm
- Weight 200 kg
- Load 600 kg