

06/09/2025

PWW1000



Profile trolley for horizontal storage and transportation of profiles

- Stable steel construction
- Horizontal profile transportation
- Support arms are rubber coated
- Profile trolley with profile supports on both sides
- Six supports per upright
- One centre upright
- Four castors, two of which have a fixing brake

Option

- Stable steel construction
- Horizontal profile transportation
- Support arms are rubber coated
- Profile trolley with profile supports on both sides
- Six supports per upright
- One centre upright
- Four castors, two of which have a fixing brake
- Individual centre upright



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany

Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com

The right to make technical alterations is reserved.

elumatec

TECHNICAL SHEET

06/09/2025




Profile transport trolley PWW 1000



Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Easy loading and unloading

Well-organised storage provides quick access



Support arms Support arms are rubber coated.Adjustable centre upright

Individual centre upright Additional centre uprights



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



PWW 1000 / PROFILE TRANSPORT TROLLEYS

- Length 1,625 mm
- Width 900 mm
- Height 1,960 mm
- Eleven shelves
- Clearance 260 mm
- Lower shelf width 420 mm
- Upper shelf width 300 mm
- Weight 60 kg
- Load 350 kg
- Roller diameter 125 mm



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.