


## **TECHNICAL SHEET**

30/12/2025



Profile trolley for horizontal storage and transportation of profiles

- Stable steel construction
- Horizontal profile transportation
- Easy transportation of profile raw materials and cut-to-size profiles
- Support arms are rubber coated
- Profile trolley with profile supports on both sides
- Six supports per upright
- Three centre uprights
- Six castors, two of which have a fixing brake

#### **Options**


Individual centre upright

1




# **TECHNICAL SHEET**

30/12/2025



**Profile transport trolley PWW 4000** 



Easy loading and unloading

Well-organised storage provides quick access




**Support arms** 

Support arms are rubber coated.Adjustable centre upright



#### **Casters**

Six rollers, four with a fixing brake and two fixed rollers, provide a high degree of mobility and easy, safe handling



### Individual centre upright

Additional centre uprights



Pinacher Straße, 61 75417 Mühlacker

Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com

The right to make technical alterations is reserved.



# **TECHNICAL SHEET**

30/12/2025

### PWW 4000 / PROFILE TRANSPORT TROLLEYS

- Length 4,000 mm
- Width 1,000 mm
- Height 1,960 mm
- Eleven shelves
- Clearance 260 mm
- Lower shelf width 420 mm
- Upper shelf width 300 mm
- Weight 130 kg
- Load 500 kg
- Roller diameter 125 mm

Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.