





TMT2000

Assembly stands




Assembly table for pre-assembly of hardware and gaskets

- Stable steel construction
- Work table for all pre-assembly tasks for hardware and gaskets on aluminium windows and doors
- Equipped with two clamps
- Clamping device for profiles with a depth of 45 - 120 mm and facing width of 50 - 150 mm
- Clamping position can be adjusted
- Clamping cylinder is activated by a foot switch
- 180° pivoting feature for the clamped profiles in 30° steps via a foot switch, lockable
- Support arms for long parts
- Two storage areas for setting down tools and small parts
- Drawers for tools
- Rack for screw driving unit or drill
- 4-fold compressed air supply
- Double two-pin grounded socket




**Door bar assembly table
TMT 2000**




Clamping device

Clamping device for profiles with a depth of 45 - 120 mm and facing width of 50 - 150 mm. Clamping position adjustable in the longitudinal direction of the profile, clamping cylinder actuated via a foot switch




Pivoting mechanism

180° pivoting feature for the clamped profiles in 30° steps via a foot switch, lockable




Support arms

Support arms for long parts such as multiple locking hardware. Storage areas for tools and small parts




Storage area

Storage area with five trays. PVC containers for small accessories, hardware and screws




Drawer

Drawer for tools. Rubber coated tool trays

**Maintenance unit**


Maintenance unit for compressed-air tools

**4-fold compressed air connection**

4-fold compressed air connection for connecting compressed-air tools

**Articulated foot**

Working height can be set to 850 - 1,000 mm by means of adjustable feet

**Tool rack**

Tool rack for pneumatic or electric tools

TMT 2000 / ASSEMBLY STANDS

- Length 2,000 mm
- Width 850 mm
- Height 1,970 mm
- Weight 145 kg
- Air consumption approx. 20 l/min.
- Compressed air supply 7 bar

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.